

Fully controllable from a touch screen, it is the most versatile injector of the Endura line as it allows to injection molds of all sizes thanks to the two independent workstations, a maxi and a standard one.

The BI MAXI ENDURA injector combines an aggressive design with an essential line, which characterizes and enhances its strength and sturdiness, resulting in a machine with a slender line with two nonexpandable independent workstations that allow to create both light and very thin objects and large pieces, maintaining their weight over

The electronics reduced to a minimum, an interface with industrial touch screen, easy maintenance and powder-coated aluminum and stainless-steel surfaces make this injector particularly reliable and suitable even for the most difficult environments.

It is equipped with a transparent melting tank with a constant vacuum system, vacuum switches to check the vacuum in the mold and RFID readers. In the **standard workstation**, there is an 8-cmc injection syringe with final temperature regulation and a self-centering clamp with 250x155mm plates while in the maxi workstation there is a 120-cmc injection syringe with final temperature adjustment and a selfcentering clamp with 250x155mm plates.

TECHNICAL SPECIFICATIONS







Machine 62 ka 110x38x53 cm



93 kg 123x50x70 cm

OPTIONAL COMPATIBILI



Maxi Clamps ** 185x155 cm 250x155 cm 330x180 cm



Big Clamps * 135x135 cm 140x180 cm 160x180 cm



Plates * 120x120 cm 120x130 cm



Syringe 32 cmc *



Double steel tank



Touch Screen 7'

CARATTERISTICHE & COMPONENTI



PURE ITALIAN TECNOLOGY



3 YFAR WARRANTY



DOUBLE WORKING STATION



HIGH PRODUCTION

Double pump



CUSTOMIZABLE MODELS



* Optional workstation standard ** Optional workstation Maxi

INTERCHANGEARLE CLAMPS



DIFFFERENT SIZE OF MOULDS



MAXI CLAMPS



MICROCHIPS



COLOR TOUCH SCREEN



ANALOG VACUUM SWITCH



ENDURANCE